



Application Control Number: 10/603,356
Art Unit: 1712

Page 2

Non-Compliant Amendment


The claim amendments do not comply with 37 VFR 1.121(C)(2). The use of strike through or alternatively double brackets may be placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The use of single brackets will be treated by the printer as printable subject matter.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel S. Metzmaier whose telephone number is (571) 272-1089. The examiner can normally be reached on 9:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy P. Gulakowski can be reached on (571) 272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Daniel S. Metzmaier
Primary Examiner
Art Unit 1712

DSM